

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Substance name	: Strontium Nitrate
EC-No.	: 233-131-9
CAS-No.	: 10042-76-9
Formula	: $\text{Sr}(\text{NO}_3)_2$

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory Reagent; Precision Industrial Applications

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Jost Chemical Co.  
8150 Lackland Rd.  
63114 Saint Louis, Missouri  
T 314-428-4300 - F 314-428-4366  
[sds@jostchemical.com](mailto:sds@jostchemical.com) - [www.jostchemical.com](http://www.jostchemical.com)

##### Distributor

JOST CHEMICAL EUROPE SPRL  
rue du Bois Portal n° 30/1-3  
B - 5300 Andenne - BELGIQUE  
T +32 85-552655 - F +32 85-552654  
[info@jostchemical.com](mailto:info@jostchemical.com)

#### 1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
United States and Canada: 1-800-424-9300 / +1 703-527-3887  
Global: +1 703-741-5970

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Oxidising Solids, Category 3	H272
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS03

GHS07

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H272 - May intensify fire; oxidizer.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H335 - May cause respiratory irritation.

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### Precautionary statements (CLP)

- : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 - Keep away from clothing and other combustible materials.
- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 - Wash hands, forearms and face thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 - IF ON SKIN: Wash with plenty of water.
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 - Call a POISON CENTRE or doctor if you feel unwell.
- P321 - Specific treatment (see supplemental first aid instruction on this label).
- P332+P313 - If skin irritation occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P370+P378 - In case of fire: Use media other than water to extinguish.
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
- P405 - Store locked up.
- P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Other hazards not contributing to the classification : None, to our knowledge.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
Strontium Nitrate	(CAS-No.) 10042-76-9 (EC-No.) 233-131-9	100

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### First-aid measures general

- : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Call a poison center or a doctor if you feel unwell.

#### First-aid measures after inhalation

- : Remove person to fresh air and keep comfortable for breathing. Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Call a poison center or a doctor if you feel unwell.

#### First-aid measures after skin contact

- : Rinse with water. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

#### First-aid measures after eye contact

- : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply neutralizing agents. Take victim to an ophthalmologist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### First-aid measures after ingestion

- : Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Victim is fully conscious: immediately induce vomiting. Give activated charcoal. Call Poison Information Centre ([www.big.be/antigif.htm](http://www.big.be/antigif.htm)). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Rinse mouth. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Symptoms/effects after inhalation

- : AFTER INHALATION OF DUST: Coughing. EXPOSURE TO HIGH CONCENTRATIONS: Respiratory difficulties. May cause respiratory irritation.

#### Symptoms/effects after skin contact

- : No effects known. Irritation.

#### Symptoms/effects after eye contact

- : Corrosion of the eye tissue. Eye irritation.

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Symptoms/effects after ingestion	: AFTER INGESTION OF HIGH QUANTITIES: Vomiting. Diarrhoea. Methemoglobinemia. Headache. Blue/grey discolouration of the skin. Disturbances of consciousness. Cramps/uncontrolled muscular contractions.
Chronic symptoms	: No effects known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment for surrounding fires. Water spray. Dry powder. Foam.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD: Non combustible. INDIRECT FIRE HAZARD: May cause fire or explosion; strong oxidiser. Reactions involving a fire hazard: see "Reactivity Hazard". May intensify fire; oxidizer.
Explosion hazard	: INDIRECT EXPLOSION HAZARD: Reactions with explosion hazards: see "Reactivity Hazard".
Hazardous decomposition products in case of fire	: On burning: release of toxic and corrosive gases/vapours (nitrous vapours) and formation of metallic fumes.

### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	: Cool tanks/drums with water spray/remove them into safety. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Safety glasses. Protective clothing. Dust cloud production: compressed air/oxygen apparatus.
Emergency procedures	: Ventilate spillage area. Mark the danger area. Prevent dust cloud formation. No naked flames. Keep containers closed. Wash contaminated clothes. In case of reactivity hazard: consider evacuation. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Measures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Avoid contact with skin and eyes. Do not breathe dust. Ventilate area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution. Prevent spreading in sewers.

### 6.3. Methods and material for containment and cleaning up

For containment	: Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray.
Methods for cleaning up	: Mechanically recover the product. Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Spill must not return in its original container. Wash clothing and equipment after handling. Take collected spill to manufacturer/competent authority. Clean contaminated surfaces with an excess of water. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid raising dust. Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Clean contaminated clothing. Keep the substance free from contamination. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Observe normal hygiene standards. Keep container tightly closed. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a clean, dry warehouse in the original unopened containers. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible materials	: Combustible materials.
Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. organic materials. halogens. water/moisture.
Storage area	: Store in a dry area. Keep container in a well-ventilated place. Keep only in the original container. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Strontium Nitrate (10042-76-9)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	40.1 mg/kg bw/day
Long-term - systemic effects, inhalation	7.9 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	1.2 mg/kg bw/day
Long-term - systemic effects, inhalation	2.4 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	2.1 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	1811 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	332 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	4.2 mg/l

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protective equipment:

Dust production: dust mask with filter type P2. Safety glasses. Gloves.

##### Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

##### Hand protection:

Gloves

##### Eye protection:

Safety glasses. In case of dust production: protective goggles. Safety glasses

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### Skin and body protection:

Protective clothing

### Respiratory protection:

Dust production: dust mask with filter type P1

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystals.
Molecular mass	: 211.63 g/mol
Colour	: Colourless to white.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 6.2 (Test data, 20 °C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 570 °C (Weight of evidence approach, 1013 hPa)
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: < 0.1 hPa (20 °C)
Relative vapour density at 20 °C	: Not applicable
Relative density	: 2.99 (20 °C)
Density	: 2990 kg/m <sup>3</sup>
Solubility	: Soluble in water. Water: 667 g/l (25 °C, Weight of evidence approach) Ethanol: 0.012 g/100ml
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May cause fire or explosion; strong oxidiser.
Explosive limits	: Not applicable

### 9.2. Other information

VOC content	: Not applicable (inorganic)
Other properties	: Substance has neutral reaction.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Violent exothermic reaction with combustible materials: risk of spontaneous ignition. Reacts with (strong) reducers: (increased) risk of fire/explosion. May intensify fire; oxidizer.

### 10.2. Chemical stability

Hygroscopic.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### 10.5. Incompatible materials

Combustible materials.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Strontium Nitrate (10042-76-9)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value)
LC50 inhalation rat (mg/l)	> 4.5 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value)

Causes serious eye damage.	: Causes skin irritation. pH: 6.2 (Test data, 20 °C)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 6.2 (Test data, 20 °C)
Respiratory or skin sensitisation	: Not classified (Lack of data)
Germ cell mutagenicity	: Not classified (Lack of data)
Carcinogenicity	: Not classified (Lack of data)
Reproductive toxicity	: Not classified (Lack of data)
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Lack of data)
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Practically non-toxic if swallowed (LD50 oral, rat > 2000 mg/kg). Not irritant to skin. Slightly harmful by inhalation. Causes serious eye damage.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
Ecology - air	: Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014). Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: No inhibition of activated sludge. May cause eutrophication. Slightly harmful to algae. Slightly harmful to crustacea.
Dangerous for the environment	: Not classified
Chronic aquatic toxicity	: Not classified

#### Strontium Nitrate (10042-76-9)

LC50 fish 1	> 97.45 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value)
ErC50 (algae)	> 104.7 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)

### 12.2. Persistence and degradability

#### Strontium Nitrate (10042-76-9)

Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

### 12.3. Bioaccumulative potential

#### Strontium Nitrate (10042-76-9)

BCF fish 1	1.4 - 342.7 (Lepomis macrochirus, Fresh water, Weight of evidence)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### 12.4. Mobility in soil

#### Strontium Nitrate (10042-76-9)

Surface tension	Not applicable
Ecology - soil	No (test)data on mobility of the substance available.

### 12.5. Results of PBT and vPvB assessment

#### Strontium Nitrate (10042-76-9)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: LWCA (the Netherlands): KGA category 05.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Treat using the best available techniques before discharge into drains or the aquatic environment. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Remove to an authorized dump (Class I). Precipitate/make insoluble. Immobilize the toxic or harmful components.
Additional information	: Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

## SECTION 14: Transport information

In accordance with IMDG / ADN / IATA / ADR

### 14.1. UN number

UN-No. (ADR)	: 1507
UN-No. (IMDG)	: 1507
UN-No. (IATA)	: 1507
UN-No. (ADN)	: 1507

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Strontium nitrate
Proper Shipping Name (IMDG)	: Strontium nitrate
Proper Shipping Name (IATA)	: Strontium nitrate
Proper Shipping Name (ADN)	: Strontium nitrate
Transport document description (ADR)	: UN 1507 Strontium nitrate, 5.1, III, (E)
Transport document description (IMDG)	: UN 1507 Strontium nitrate, 5.1, III
Transport document description (IATA)	: UN 1507 Strontium nitrate, 5.1, III
Transport document description (ADN)	: UN 1507 Strontium nitrate, 5.1, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1



#### IMDG

Transport hazard class(es) (IMDG)	: 5.1
Danger labels (IMDG)	: 5.1

# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)



### IATA

Transport hazard class(es) (IATA) : 5.1

Hazard labels (IATA) : 5.1



### ADN

Transport hazard class(es) (ADN) : 5.1

Danger labels (ADN) : 5.1



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Transport regulations (ADR) : Subject

Classification code (ADR) : O2

Hazard identification number (Kemler No.) : 50

Orange plates :

Tunnel restriction code (ADR) : E

#### Transport by sea

Transport regulations (IMDG) : Subject

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-Q

Stowage category (IMDG) : A

#### Air transport

Transport regulations (IATA) : Subject to the provisions

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y546

PCA limited quantity max net quantity (IATA) : 10kg



# Strontium Nitrate

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

PCA packing instructions (IATA)	: 559
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
ERG code (IATA)	: 5L

### Inland waterway transport

Classification code (ADN)	: O2
Carriage permitted (ADN)	: B

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Strontium Nitrate is not on the REACH Candidate List

Strontium Nitrate is not on the REACH Annex XIV List

VOC content : Not applicable (inorganic)

Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

Initial preparation date.

### Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidizer
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*