

SECTION 1: Identification

1.1. Identification

Product form : Substance
Substance name : Zinc Sulfate Heptahydrate
CAS-No. : 7446-20-0
Formula : $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Nutrient; Dietary Supplement

1.3. Supplier

Manufacturer

Jost Chemical Co.
8150 Lackland Rd.
Saint Louis, Missouri 63114
T 314-428-4300 - F 314-428-4366
sds@jostchemical.com - www.jostchemical.com

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
United States and Canada: 1-800-424-9300 / +1 703-527-3887
Global: +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (oral) Category 4 H302 Harmful if swallowed
Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger
Hazard statements (GHS-US) : H302 - Harmful if swallowed
H318 - Causes serious eye damage
Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, eye protection.
P301+P312 - If swallowed: Call a doctor if you feel unwell
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a doctor
P330 - Rinse mouth.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%	GHS-US classification
Zinc Sulfate Heptahydrate (Main constituent)	(CAS-No.) 7446-20-0	100	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of hazard classes and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with labored breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove the victim into fresh air. Doctor: administration of corticoid spray. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist. Do not apply neutralizing agents. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Doctor: gastric lavage. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: Harmful if swallowed. Slightly irritant to skin. Slightly harmful by inhalation. Slightly irritant to respiratory organs. Causes serious eye damage.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Coughing.
Symptoms/effects after skin contact	: Slight irritation.
Symptoms/effects after eye contact	: Corrosion of the eye tissue. Visual disturbances. Inflammation/damage of the eye tissue. Serious damage to eyes.
Symptoms/effects after ingestion	: AFTER INGESTION OF HIGH QUANTITIES: Gastrointestinal complaints. Nausea. Vomiting. Abdominal pain. Blood in stool. Decreased renal function. Change in the hemogramme/blood composition. Weakening of the immune system.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Gastrointestinal complaints. Inflammation/damage of the eye tissue.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment for surrounding fires. Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard	: DIRECT FIRE HAZARD: Non combustible.
Explosion hazard	: DIRECT EXPLOSION HAZARD: No direct explosion hazard.
Reactivity	: Violent exothermic reaction with (strong) bases.

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighborhood close doors and windows.

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Firefighting instructions	: Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Safety glasses. Protective clothing. Dust cloud production: compressed air/oxygen apparatus.
Emergency procedures	: Ventilate spillage area. Mark the danger area. Prevent dust cloud formation. No naked flames. Wash contaminated clothes. Avoid contact with skin and eyes.
Measures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighborhood close doors and windows.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment	: Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray.
Methods for cleaning up	: Mechanically recover the product. Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid raising dust. Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Observe strict hygiene. Keep container tightly closed. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a clean, dry warehouse in the original unopened containers. Store in a well-ventilated place. Keep cool.
Maximum storage period	: 2 year
Storage temperature	: 10 - 30 °C
Heat-ignition	: KEEP SUBSTANCE AWAY FROM: heat sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: (strong) bases.
Storage area	: Store at ambient temperature. Keep out of direct sunlight. Store in a dry area. Keep container in a well-ventilated place. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: closing. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: wood. glass. plastics. cardboard.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Dust production: dust mask with filter type P2. Gloves. Safety glasses.

Materials for protective clothing:

GIVE GOOD RESISTANCE: nitrile rubber. PVC. neoprene

Hand protection:

Gloves

Eye protection:

Safety glasses. In case of dust production: protective goggles. Safety glasses

Skin and body protection:

Protective clothing

Respiratory protection:

Dust production: dust mask with filter type P3

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granules.
Color	: Colorless or white
Odor	: Odorless
Odor threshold	: No data available
pH	: 4.5
Melting point	: 100 °C
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: Not applicable
Relative density	: 2
Specific gravity / density	: 1970 kg/m ³
Molecular mass	: 287.56 g/mol
Solubility	: Soluble in water. Soluble in methanol. Soluble in glycerol. Water: 170 g/100ml
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 500 °C
Viscosity, kinematic	: No data available

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: Not oxidising.

9.2. Other information

VOC content	: 0 %
Other properties	: Substance has acid reaction.

SECTION 10: Stability and reactivity

10.1. Reactivity

Violent exothermic reaction with (strong) bases.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Zinc Sulfate Heptahydrate (7446-20-0)	
LD50 oral rat	1260 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value)
ATE US (oral)	500 mg/kg body weight

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 4.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 4.5
Respiratory or skin sensitization	: Not classified (Lack of data)
Germ cell mutagenicity	: Not classified (Lack of data)
Carcinogenicity	: Not classified (Lack of data)
Reproductive toxicity	: Not classified (Lack of data)
Specific target organ toxicity – single exposure	: Not classified (Lack of data)
Specific target organ toxicity – repeated exposure	: Not classified (Lack of data)
Aspiration hazard	: Not classified (Not applicable)
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Harmful if swallowed. Slightly irritant to skin. Slightly harmful by inhalation. Slightly irritant to respiratory organs. Causes serious eye damage.
Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Coughing.
Symptoms/effects after skin contact	: Slight irritation.
Symptoms/effects after eye contact	: Corrosion of the eye tissue. Visual disturbances. Inflammation/damage of the eye tissue. Serious damage to eyes.

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Symptoms/effects after ingestion : AFTER INGESTION OF HIGH QUANTITIES: Gastrointestinal complaints. Nausea. Vomiting. Abdominal pain. Blood in stool. Decreased renal function. Change in the hemogramme/blood composition. Weakening of the immune system.
- Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Gastrointestinal complaints. Inflammation/damage of the eye tissue.

SECTION 12: Ecological information

12.1. Toxicity

- Ecology - general : Dangerous for the environment.
- Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
- Ecology - water : Very toxic to crustacea. Toxic to fishes. Severe water pollutant (surface water). Inhibition of activated sludge. Very toxic to algae. May cause eutrophication at very low concentration. pH shift.

Zinc Sulfate Heptahydrate (7446-20-0)	
LC50 fish 1	4.6 ppm (96 h, Salmo gairdneri, Fresh water)
EC50 Daphnia 1	0.56 mg/l (48 h, Daphnia magna)

12.2. Persistence and degradability

Zinc Sulfate Heptahydrate (7446-20-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

Zinc Sulfate Heptahydrate (7446-20-0)	
BCF fish 1	59 - 242 (Cyprinus carpio, Test duration: 8 weeks)
BCF fish 2	59 - 242 (Cyprinus carpio, Anhydrous form)
Bioaccumulative potential	Bioaccumable.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

- Regional legislation (waste) : LWCA (the Netherlands): KGA category 05.
- Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Treat using the best available techniques before discharge into drains or the aquatic environment. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Remove to an authorized dump (Class I). Precipitate/make insoluble.
- Additional information : Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN3077 Environmentally hazardous substances, solid, n.o.s., 9, III
UN-No.(DOT) : UN3077
Proper Shipping Name (DOT) : Environmentally hazardous substances, solid, n.o.s.
Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT) : III - Minor Danger
Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Dangerous for the environment : Yes
Marine pollutant : Yes



DOT Packaging Non Bulk (49 CFR 173.xxx) : 213
DOT Packaging Bulk (49 CFR 173.xxx) : 240
DOT Symbols : G - Identifies PSN requiring a technical name

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s.," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. A112 - Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg: a. Metal: 11A, 11B, 11N, 21A, 21B and 21N b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2 c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2 d. Fiberboard: 11G e. Wooden: 11C, 11D and 11F (with inner liners) f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner). B54 - Open-top, sift-proof rail cars are also authorized. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. N20 - A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle. T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 171
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Transport document description (IMDG)	: UN 3077 Environmentally hazardous substance, solid, n.o.s. (Zinc Sulfate Heptahydrate), 9, III, MARINE POLLUTANT
UN-No. (IMDG)	: 3077
Proper Shipping Name (IMDG)	: Environmentally hazardous substance, solid, n.o.s.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 kg
EmS-No. (1)	: F-A

Zinc Sulfate Heptahydrate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EmS-No. (2) : S-F
Marine pollutant : Yes (IMDG only)



Air transport

Transport document description (IATA) : UN 3077 Environmentally hazardous substance, solid, n.o.s. (Zinc Sulfate Heptahydrate), 9, III
UN-No. (IATA) : 3077
Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.
Class (IATA) : 9 - Miscellaneous Dangerous Goods
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Zinc Sulfate Heptahydrate	CAS-No. 7446-20-0	100%
---------------------------	-------------------	------

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Zinc Sulfate Heptahydrate (7446-20-0)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Korean ECL (Existing Chemicals List)
Listed on INSQ (Mexican national Inventory of Chemical Substances)
Listed on NZIoC (New Zealand Inventory of Chemicals)
The anhydrous form of this material is listed on the United States TSCA (Toxic Substance Control Act) inventory

15.3. US State regulations

Zinc Sulfate Heptahydrate (7446-20-0)

State or local regulations	U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
----------------------------	---

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/12/2018

Full text of H-phrases:

H302	Harmful if swallowed
H318	Causes serious eye damage

Zinc Sulfate Heptahydrate


Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 2 - Materials that readily undergo violent chemical change at elevated temperatures and pressures.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product